




- \cdot made of mineral composite with non-porous surface, alpine white
- \cdot with shelf and oval basin
- \cdot integrated gripping feature, can be used as a towel holder
- \cdot without overflow
- · for wall-mounted fittings
- \cdot wheelchair accessible
- · weight capacity to EN 14688
- \cdot 850 mm wide and 415 mm deep
- · wash trough depth 90 mm
- · for hanger bolt fixing
- · CE marking according to Construction Products Regulation No. 305/2011
- fulfils the ÖNORM B1600/1601 requirements for small basins



Dimensions in mm








- \cdot made of mineral composite with non-porous surface, alpine white
- \cdot with shelf and oval basin
- \cdot integrated gripping feature, can be used as a towel holder
- \cdot without overflow
- \cdot prepared for single hole mixer tap
- \cdot wheelchair accessible
- · weight capacity to EN 14688
- · 850 mm wide and 415 mm deep
- · wash trough depth 90 mm
- · for hanger bolt fixing
- · CE marking according to Construction Products Regulation No. 305/2011
- fulfils the ÖNORM B1600/1601 requirements for small basins



Dimensions in mm








- \cdot made of mineral composite with non-porous surface, alpine white
- \cdot with shelf and oval basin
- \cdot integrated gripping feature, can be used as a towel holder
- \cdot without overflow
- \cdot for wall-mounted fittings
- wheelchair accessible to DIN 18040 and ÖNORM B1600/1601
- · weight capacity to EN 14688
- \cdot 1000 mm wide and 550 mm deep
- wash trough depth 110 mm
- · for hanger bolt fixing
- · CE marking according to Construction Products Regulation No. 305/2011



Dimensions in mm







- \cdot made of mineral composite with non-porous surface, alpine white
- \cdot with shelf and oval basin
- \cdot integrated gripping feature, can be used as a towel holder
- \cdot without overflow
- · prepared for single hole mixer tap
- wheelchair accessible to DIN 18040 and ÖNORM B1600/1601
- · weight capacity to EN 14688
- \cdot 1000 mm wide and 550 mm deep
- wash trough depth 110 mm
- \cdot for hanger bolt fixing
- · CE marking according to Construction Products Regulation No. 305/2011



Dimensions in mm

